

**Have you ever seen a doctor, nurse, or other health professional for these
joint symptoms?
Kentucky BRFSS 2001**

Geographic Groups	Total Respond.#	Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
TOTAL	3935	2714	65.8	(63.6-67.9)	1221	34.2	(32.1-36.4)
ADDs							
Barren River	281	181	58.8	(51.8-65.5)	100	41.2	(34.5-48.2)
Big Sandy	271	208	72.8	(65.9-78.7)	63	27.2	(21.3-34.1)
Bluegrass	253	164	63.1	(55.8-69.8)	89	36.9	(30.2-44.2)
Buffalo Trace	200	127	65.7	(57.1-73.3)	73	34.3	(26.7-42.9)
Cumberland Valley	268	200	73.2	(66.7-78.9)	68	26.8	(21.1-33.3)
FIVCO	336	242	69.8	(63.8-75.2)	94	30.2	(24.8-36.2)
Gateway	301	201	64.2	(57.5-70.4)	100	35.8	(29.6-42.5)
Green River	203	137	66.9	(59.2-73.8)	66	33.1	(26.2-40.8)
Kentucky River	283	213	72.9	(66.3-78.5)	70	27.1	(21.5-33.7)
KIPDA	258	159	61.5	(54.6-68.0)	99	38.5	(32.0-45.4)
Lake Cumberland	266	191	70.9	(64.4-76.7)	75	29.1	(23.3-35.6)
Lincoln Trail	249	171	67.5	(60.5-73.8)	78	32.5	(26.2-39.5)
Northern Kentucky	268	178	65.2	(58.3-71.5)	90	34.8	(28.5-41.7)
Pennyrile	220	154	71.6	(64.7-77.6)	66	28.4	(22.4-35.3)
Purchase	278	188	63.2	(56.2-69.6)	90	36.8	(30.4-43.8)

*This question is asked to respondents who reported having pain, aching, stiffness or swelling in or around a joint.

#Use caution in interpreting data for total respondents less than 50. N = Cell Size, NH = Non-Hispanic, % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level).

Percentages are weighted to population characteristics.

Unless stated differently above, Missing, 'Don't know', and Refused responses are excluded.